1



# Safety data sheet according to 1907/2006/EC, Article 31

## 1 IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

**1.1 Product name:** ElaProof H/S

Outdoor/Indoor/+SAND/Primer

1.2 Recommended use:

Elastic waterproofing

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Build Care Oy Ltd.

Kelatie 6

FI-01450 Vantaa, Finland Tel.: +358 20 790 2710

E-mail: info@buildcare.fi

## 1.4 Emergency telephone number:

- For Chemical Emergencies:

Myrkytystietokeskus +358 9 471 977

## 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The product is not classified as hazardous, according to the CLP regulation.

#### 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Additional information:

EUH208: Contains 1,2-Benzisothiazol-3(2H)-one (BIT), reaction mass of 5-Chloro-2-methyl-4-iso-thiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) (CIT/MIT). May produce an allergic reaction.

EUH210: Safety data sheet available on request.

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

Product fails to meet PBT/vPvB criteria

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS





#### 3.1 Other information

Mixed polymer dispersion

# Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

ac	cordance wi	till tillex il of hegalation (EO) i	to 170772000 (point 3), the product contains.				
Chen	Chemical name/Classification						
No.	% Wt.	CAS No./ EC No./ Index No.	CLP/GHS Classification				
1,2-B	,2-Benzisothiazol-3(2H)-one						
			Acute tox. 4; H302;				
		2634-33-5	Skin Irrit. 2; H315;				
1.	< 0,025	220-120-9	Eye Dam. 1; H318;				
		613-088-00-6	Skin Sens. 1; H317;				
			Aquatic Acute 1; H400;				
Reac	tion mass of	5-chloro-2-methyl-4-iso-thiazolin	-3-one [EC no. 247-500-7] and 2-methyl-2H-				
isoth	iazol-3-one [	EC no. 220-239-6] (3:1)					
			Acute Tox. 2; H310				
			Acute Tox. 2; H330				
		55965-84-9	Acute Tox. 3; H301				
2	< 0.0013	911-418-6	Aquatic Acute 1; H400; M = 100				
۷.	< 0,0013	613-167-00-5	Aquatic Chronic 1; H410; EUH071; M = 100				
			Skin Corr. 1C; H314				
			Skin Sens. 1A; H317				
			Eye Dam. 1; H318				
2.	< 0,0013	55965-84-9 911-418-6	Acute Tox. 2; H330 Acute Tox. 3; H301 Aquatic Acute 1; H400; M = 100 Aquatic Chronic 1; H410; EUH071; M = 100 Skin Corr. 1C; H314 Skin Sens. 1A; H317				

For full text of H-statements: see Section 16.

Includes: >1% TiO2 (<10μm)

## 4 FIRST AID MEASURES

## 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

Move to fresh air. Consult a physician after significant exposure.

#### By ingestion:

Clean mouth with water and drink afterwards plenty of water. Consult a physician. DO NOT induce vomiting unless directed to do so by a physician or a poison control center.

# By skin contact:

Remove all contaminated clothing. Wash the skin with soap and plenty of water.

#### By eye contact:

Rinse immediately with plenty of water keeping eyelid open at least 10 minutes.

## 4.2 Most important symptoms and effects, both acute and delayed

May cause eye, skin, and respiratory tract irritation in susceptible persons.

- Build Care Oy | Kelatie 6, FI-01450 Vantaa | Y-tunnus: 0710945-5





## 4.3 Indication of any immediate medical attention and special treatment needed:

No hazards, which require special first aid. Treat symptomatically.

#### 5 FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Product is non-flammable under normal conditions of storage, handling, and use. In the case of combustion because of improper handling, storage or use preferably use water mist, foam, dry chemical, or carbon dioxide (CO2).

## 5.2 Special hazards arising from the substance or mixture:

Do not allow run-off from firefighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA).

Additional provisions: The product itself is not flammable

## 6 ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment, and emergency procedures:

Ensure adequate ventilation. In case of dust or aerosol production, personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

## 6.2 Environmental precautions:

Avoid any type of spillage into an aqueous medium. Notify the relevant authority in case of exposure to the public or the environment.

# 6.3 Methods and material for containment and cleaning up:

It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Small amounts after cleaning can be flushed with plenty of water to clean spillage area. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

#### 7 HANDLING AND STORAGE

# 7.1 Precautions for safe handling:

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- Build Care Oy | Kelatie 6, FI-01450 Vantaa | Y-tunnus: 0710945-5





# 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5.

# 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits must be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product.

# **DNEL (Workers):**

		Short ex	posure	Long exposure	
Identification		Systematic	Local	Systematic	Local
1,2-benzisothiazol-	Oral	Non-	Non-	Non-	Non-
3(2H)-one		applicable	applicable	applicable	applicable
CAS: 2634-33-5	Dermal	Non-	Non-	0,966 mg/kg	Non-
CA3. 2034-33-3		applicable	applicable		applicable
EC: 220-120-9	Inhalation	Non-	Non-	6,81 mg/m <sup>3</sup>	Non-
EC: 220-120-9		applicable	applicable		applicable

## DNEL (General population):

	Short ex	posure	Long exposure		
Identification		Systematic	Local	Systematic	Local
1,2-benzisothiazol-	Oral	Non-	Non-	Non-	Non-
3(2H)-one		applicable	applicable	applicable	applicable
CAS: 2634-33-5	Dermal	Non-	Non-	0,345 mg/kg	Non-
CA3. 2034-33-3		applicable	applicable		applicable
EC: 220-120-9	Inhalation	Non-	Non-	1,2 mg/m <sup>3</sup>	Non-
EC. 220-120-9		applicable	applicable		applicable

#### PNEC:

Identification				
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403
CA3. 2034-33-3				mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh	0,0499 mg/L
LC. 220-120-7			water)	

- Build Care Oy | Kelatie 6, FI-01450 Vantaa | Y-tunnus: 0710945-5



5



Oral	Non-	Sediment (Marine	0,00499 mg/L
	applicable	water)	

## 8.2 Exposure controls:

## General security and hygiene measures in the workplace:

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected, or apparent adverse effects.

## Eye protection

If risk of splashing, wear safety goggles or face shield (EN 166).

## Hand protection

Use suitable protective gloves if risk of skin contact (EN 374).

# Skin and body protection

Use appropriate lightweight protective clothing.

## Respiratory equipment

Use a sufficient respiratory protection if ventilation is improper.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

Appearance: Liquid Color\*: Many pH: 7-9

Boiling point:

Flash point:

Non-applicable \*\*

Flammability (solid, gas):

Relative density:

Viscosity\*:

Solubility:

Approx. 100 °C

Non-applicable \*\*

approx. 1,08 g/cm3

between 10 - 70 t mPa.s

Miscible with water

# 10 STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

## 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling, and use.

Build Care

<sup>\*</sup>Depends on the final product

<sup>\*\*</sup> Not relevant due to the nature of the product, not providing information property of its hazards

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature. To avoid: frost, temperatures above 30°C.

# 10.5 Incompatible materials:

Not applicable materials.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## 11 TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available.

# Dangerous health implications:

**Acute toxicity:** Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

## Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitizing effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitizing effects. For more information see section 3.

#### Specific toxicology information on the substances:

Identification	Acute t	Genus			
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat		
CAS: 2634-33-5	LD50 dermal	Non-applicable			
EC: 220-120-9	LD50 inhalation	Non-applicable			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	100 mg/kg	Rat		
CAS: 55965-84-9	LD50 dermal	300 mg/kg	Rat		
EC: 911-418-6	LD50 inhalation	Non-applicable			

# 12 ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

- Build Care Oy | Kelatie 6, FI-01450 Vantaa | Y-tunnus: 0710945-5





# 12.1 Toxicity:

Identification		cute toxicity	Species	Genus
1,2-benzisothiazol-3(2H)-one	LC50	2.2 mg/mL (96h)	Oncorhynchus mykiss	Fish
CAS: 2634-33-5	EC5 0	3 mg/mL (48h)	Daphnia magna	Crustace an
EC: 220-120-9	EC5 0	0.067 mg/L (72 h)	Pseudokirchneriell a subcapitata	Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 55965-84-9	EC5 0	0.1 - 1 mg/L		Crustace an
EC: 911-418-6	EC5 0	0.1 - 1 mg/L		Algae

# 12.2 Persistence and degradability:

Identification	Identification Degradability		Biodegradability	
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
EC: 220-120-9	BOD5/CO D	Non-applicable	% Biodegradable	0 %

# 12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential				
1,2-benzisothiazol-3(2H)-one	BCF	2			
CAS: 2634-33-5	Pow Log	1.45			
EC: 220-120-9	Potential	Low			

# 12.4 Mobility in soil:

Not available

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

## 12.6 Other adverse effects:

Not described

# 13 DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods:

		Waste class
Code	Description	(Regulation (EU) No
		1357/2014)

- Build Care Oy | Kelatie 6, FI-01450 Vantaa | Y-tunnus: 0710945-5





08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non dangerous
	111 00 01 11	

## Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

#### 14 TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA).

## 15 REGULATORY INFORMATION

# 15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one.

Candidate substances for authorization under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorization List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13); reaction mass of 5- chloro-2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialization and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc....):

Non-applicable

Specific provisions in terms of protecting people or the environment:

Build Care

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments to establish the necessary risk prevention measures for the handling, use, storage, and disposal of this product.

# Other legislation:

The product could be affected by sectorial legislation

## 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## **16 OTHER INFORMATION**

## Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances and followed statement

EUH211, TiO2

## Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

## Classification procedure:

Non-applicable

#### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

- **Build Care Oy** | Kelatie 6, FI-01450 Vantaa | Y-tunnus: 0710945-5



10



IMDG: International maritime dangerous goods code

Date of compilation: 25.2.2019

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

The information contained in this safety data sheet is based on sources, technical knowledge, and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.